

INDEX MAPS.

T. 28N, R. 4 W. 2nd Mer.

125	6	144	5	142	4	135	3	131	2	128	1	122
	144		143		138		134		131		128	
124	7	143	8	138	9	134	10	131	11	128	12	122
	143		141		137		134		130		127	
124	18	141	17	137	16	134	15	130	14	127	13	122
	140		140		137		133		130		127	
123	19	140	20	136	21	133	22	130	23	126	24	121
	139		139		136		133		130		126	
123	30	139	29	136	28	132	27	129	26	126	25	121
	139		138		136		132		129		125	
123	31	138	32	135	33	132	34	129	35	125	36	121
	120		120		119		119		119		119	

T. 17N, R. 5 W. 2nd Mer.

	154		154		153		153		153		152	
156	6	176	5	172	4	168	3	164	2	160	1	152
	178		175		172		168		164		159	
155	7	175	8	171	9	167	10	163	11	159	12	152
	177		175		171		167		163		159	
155	18	174	17	170	16	166	15	162	14	158	13	151
	177		174		170		166		162		158	
155	19	174	20	170	21	166	22	162	23	157	24	151
	177		173		169		165		161		157	
155	30	173	29	169	28	165	27	161	26	157	25	151
	176		173		169		165		161		156	
154	31	172	32	168	33	164	34	160	35	156	36	151
	150		150		150		149		149		149	

The figures on the lines refer to the page.

149

Township N. 77 North, Range N. 5 West 2. Mer. Ind.

Township Lines.

Chk. Lk. South Boundary. Var. 6° 40' E

Bearings at cor. of T. 17 N, R. 4 & 5 W.

a Poplar 12 in. dia. leans N 66 E 18 lbs. dirt &

a Do 12 " " " S 81 W 25 " "

West on the S. Boundary of Sec. 36

22.00 a Brook 12 lbs. wide course S

40.00 set of sec. part from which

a Beech 12 in. dia. leans S 24 W 4 lbs. dirt &

a Do 10 " " " N 2 E 17 " "

80.00 set part cor. of sec. 35 & 36 from which

a Beech 14 in. dia. leans N 70 E 23 lbs. dirt &

a Do 10 " " " S 31 W 14 " "

Land rich & good for farming, timber Beech,
Sugar, Walnut &c. part rather broken & part
rather wet

West on the S. Boundary of Sec. 35

40.00 set of sec. part from which

an Ironwood 9 in. dia. leans N 63 E 6 lbs. dirt &

a Sugar 9 " " " S 22 W 16 " "

80.00 set part cor. of sec. 34 & 35 from which

a Beech 9 in. dia. leans S 29 W 10 lbs. dirt &

a W. Ash 6 " " " N 72 E 24 " "

Land level & good for farming, timber Oak,
Beech, Ash &c.

West on the S. Boundary of Sec. 34

13.00 a Brook 6 lbs. wide course S W

40.00 set of sec. part from which

a Beech 14 in. dia. leans N 78 E 18 lbs. dirt &

a Do 10 " " " N 57 W 11 " "

76.50 a Brook 20 lbs. wide course S

80.00 set part cor. of sec. 33 & 34 from which

a Buckeye 4 in. dia. leans N 7 W 12 lbs. dirt &

a Sugar 30 " " " S 40 W 13 " "

T. 17 N., R. 54 W. 2. Mer. Ind. A

Ch. Lk.

Land level rich, good for farming, timber
same as last noted

West on the S. Boundary of Sec. 33

40.00 set of sec. post from which

a Sugar 12 in. diam bears N60E60 lbs. dist. 8

a Beech 12 " " " S62W23 " "

80.00 set post cor. of sect. 32 & 33 from which

a Beech 30 in. diam bears S32E8 lbs. dist. 8

a Sugar 14 " " " N48W35 " "

First rate farming land, level, timber Beech,
Sugar, Walnut, Ash &c

West on the S. Boundary of Sec. 32

5.00 a Brook 15 lbs. wide corner S

19.00 a Do 10 " " " S

40.00 set of sec. post from which

a Sugar 9 in. diam bears N27W60 lbs. dist. 8

a Beech 20 " " " S12E39 " "

52.10 Intersect Range line 11 lbs. N. of temp. Towns. cor.
set post at intersection cor. of T. 16 N., R. 54 W
from which

a Beech 30 in. diam bears S59W25 lbs. dist. 8

a W. Ash 8 " " " N35E25 " "

80.00 set post cor. of Sections 31 & 32, from which

a Hickory 12 in. diam bears S77E29 lbs. dist. 8

a W. Oak 24 " " " N28W33 " "

Land similar to that on last mile

West on the S. Boundary of Sec. 31

40.00 set of sec. post from which

a Beech 9 in. diam bears N60E12 lbs. dist. 8

a Sugar 12 " " " S52W40 " "

80.00 set post cor. of T. 17 N., R. 54 W. from which

a Beech 18 in. diam bears N40E26 lbs. dist. 8

a Sugar 12 " " " S15W35 " "

T. 17 N., R. 5 W. 2. Mer. Ind. a.
Chs. 10.

Land level 2. rate, part wet, rich soil, timber
Beech, Sugar, Ash, Oak, Gum; middling good
farming land

East Boundary. Var. 6.50. E.

North on the E. Boundary of Sec. 36

40.00 set of sec. post from which

a Beech 11 in. diameter N 70 E 8 lbs. dist. 8

a Sugar 9 " " " S 77 W 28 " "

80.00 set post cor. of sec. 25 & 36 from which

a Sugar 8 in. diameter S 70 W 5 lbs. dist. 8

a Beech 14 " " " East 30 " "

Land level & good for farming, timber Beech,
Sugar, Ash, Oak &c.

North on the E. Boundary of Sec. 25

40.00 set of sec. post from which

a Beech 18 in. diameter S 8 E 24 lbs. dist. 8

a Hickory 9 " " " N 67 W 15 " "

80.00 set post cor. of sec. 24 & 25 from which

a Beech 6 in. diameter S 54 E 15 lbs. dist. 8

a Sugar 27 " " " N 37 W 23 " "

Land same as last noted.

North on the E. Boundary of Sec. 24

August 27, 1819

22.00 a Brook 10 lbs. wide corner E

40.00 set of sec. post from which

a Beech 12 in. diameter N 51 W 34 lbs. dist. 8

a Do 10 " " " South 2 " "

80.00 set post cor. of sec. 13 & 24 from which

a Beech 27 in. diameter S 70 E 38 lbs. dist. 8

a Do 30 " " " N 66 W 33 " "

Land same as last noted

North on the E. Boundary of Sec. 13

T. 17 N., R. 5 W. 2. Mer. Ind. a
Chp. 8 Chp.

- 31.00 a Brook 20 lbs. wide course W
40.00 set of sec. part from which
a Buckeye 4 in. diameter S 49 E 13 lbs. dist. 8
an Elm 9 " " " N 56 W 30 " "
75.00 a Brook 12 lbs. wide course W
80.00 set part cor. of sec. 12 & 13 from which
a Sugar 10 in. diameter S 74 W 17 lbs. dist. 8
a Dec 8 " " " N 13 W 7 " "
Land level rich & good for farming, timber
Beech, Sugar, Walnut, some Buckeye, Ash, Poplar,
Oak

North on the E. Boundary of Sec. 12

- 40.00 set of sec. part from which
a Sugar 11 in. diameter S 40 E 16 lbs. dist. 8
a Dec 9 " " " N 70 W 20 " "
80.00 set part cor. of sec. 11 & 12 from which
a B. Ash 6 in. diameter N 65 W 15 lbs. dist. 8
a W. Beech 4 " " " S 80 E 7 " "
Land level 2nd rate, part wet, timber Beech, Sugar,
Ash, Elm

North on the E. Boundary of Sec. 1

- 40.00 set of sec. part from which
a Beech 10 in. diameter N 76 E 10 lbs. dist. 8
a Dec 11 " " " S 43 W 21 " "
80.00 a dry Branch 5 lbs. wide course W.
[The cor. of T. 17 & 18 N., R. 4 & 5 W. was established
at 74.43 Chp. from which
a W. Oak 36 in. diameter S 77 W 8 lbs. dist. 8
a Hickory 12 " " " N 19 E 26 " "
Land similar, middling good for farming.
A Spring 40 lbs. S. E. of this point.]

North Boundary. Var. 6.50' E.
West on the S. Boundary of Sec. 36, T 18 N., R 5 W

T. 17 N., R. 5 W. 2. Mer. Ind. a.

Chs. 1st.

15.00 a Brook 10 lbs. wide course N

40.00 set of sec. post from which

a Beech 10 in. diameter S 72° W 10 lbs. dist. 8

a Do 12 " " " S 79° W 30 " "

80.00 set post cor. of sec. 35 & 36 from which

a Beech 30 in. diameter S 82° E 27 lbs. dist. 8

a Poplar 36 " " " S 73° W 7 " "

Land level, good farming land, Beech, Sugar &c.

West on the S. Boundary of Sec. 35, T 18 N., R 5 W

15.00 a Creek 12 lbs. wide course N

40.00 set of sec. post from which

a Sugar 12 in. diameter S 54° E 8 lbs. dist. 8

a Beech 27 " " " N 28° W 33 " "

80.00 set post cor. of sec. 34 & 35 from which

a Beech 10 in. diameter N 30° W 11 lbs. dist. 8

a Do 12 " " " S 36° E 17 " "

Land &c. same as last noted

West on the S. Boundary of Sec. 34, T 18 N., R 5 W

40.00 set of sec. post from which

a Beech 20 in. diameter S 44° E 35 lbs. dist. 8

a Sugar 10 " " " N 10° W 2 " "

60.00 a Brook 10 lbs. wide course N

80.00 set post cor. of sec. 33 & 34 from which

a Beech 10 in. diameter N 11° E 13 lbs. dist. 8

a Sugar 9 " " " S 31° E 17 " "

Land very rich & good for farming, timber
Beech, Sugar, Walnut, Elm, Poplar &c.

West on the S. Boundary of Sec. 33, T 18 N., R 5 W

40.00 set of sec. post from which

a Beech 14 in. diameter N 64° E 33 lbs. dist. 8

a Sugar 10 " " " S 87° W 10 " "

55.00 a Brook 12 lbs. wide course N

70.00 a Do 8 " " " N

T. 17 N., R. 5 W. 2. Mer. Ind.^a

Ch. 2. 90.

80.00 set part cor. of sec. 32 & 33 from which
 a Sugar 14 in. dia. bears S 57 E 31 lbs. dist. 8
 a Beech 9 " " " N 37 W 20 " "
 Land rolling & good for farming, timber same
 as last noted

West on the S. Boundary of Sec. 32, T. 18 N., R. 5 W.

40.00 set q. sec. part from which
 a Sugar 14 in. dia. bears N 59 E 4 lbs. dist. 8
 a Beech 24 " " " S 83 W 40 " "

80.00 set part cor. of sec. 31 & 32 from which
 a Beech 10 in. dia. bears S 78 E 12 lbs. dist. 8
 a Sugar 10 " " " N 69 W 18 " "
 Land part level & part broken, Beech, Sugar &c.

West on the S. Boundary of Sec. 31, T. 18 N., R. 5 W.

40.00 set q. sec. part from which
 a S. Oak 40 in. dia. bears S 85 E 12 lbs. dist. 8
 an Ironw. 9 " " " N 80 W 39 " "

77.63 Intersect Range line 766 lbs. S. of temp. Towns.
 corner - set part at intersection cor. of T. 17 & 18 N.,
 R. 5 & 6 W. from which
 a Poplar 20 in. dia. bears N 60 E - lbs. dist. 8
 a Sugar 9 " " " S 38 W - " "
 Land part broken, 2^d rate soil

West Boundary. Var. C. 55. E.
 North on the E. Boundary of Sec. 36, T. 17 N., R. 6 W.
 August 26. 1819

35.00 a Brook 8 lbs. wide course N W

40.00 set q. sec. part from which
 a Sugar 12 in. dia. bears S 35 E 22 lbs. dist. 8
 a S. 7 " " " N 56 E 13 " "

59.00 a Brook 10 lbs. wide course W

80.00 set part cor. of sec. 25 & 36 from which
 a W. Walnut 9 in. dia. bears S 30 E 33 lbs. dist. 8

T. 17 N., R. 5 W. 2. Mer. Ind.^a
Chp. 10.

a Buckeye 11 in. dia. leans North 10 lbs. dist.
Land level rich & good for farming, timber Sugar,
Walnut, Ash, Beech

North on the E. Boundary of Sec. 25, T 17 N, R 6 W

12.00 a Creek 50 lbs. wide course W

40.00 set of sec. post from which

a Beech 11 in. dia. leans S 37 W 18 lbs. dist. 8

a Sugar 18 " " " N 43 E 12 " "

80.00 set post cor. of sec. 24 & 25 from which

a Beech 12 in. dia. leans S 52 W 2 lbs. dist. 8

a Do 20 " " " N 17 E 30 " "

Land level & good for farming, timber Beech,
Sugar, Ash, Hickory, Oak, Elm

North on the E. Boundary of Sec. 24, T 17 N, R 6 W

40.00 set of sec. post from which

a Beech 6 in. dia. leans S 34 E 9 lbs. dist. 8

a W. Ash 9 " " " N 15 W 20 " "

80.00 set post cor. of sec. 13 & 24 from which

a Beech 30 in. dia. leans S 12 W 5 lbs. dist. 8

a Do 9 " " " N 11 E 18 " "

Land &c. same as last noted

North on the E. Boundary of Sec. 13, T 17 N, R 6 W

40.00 set of sec. post from which

a Beech 12 in. dia. leans N 32 E 16 lbs. dist. 8

a Do 30 " " " S 2 W 26 " "

80.00 set post cor. of sec. 12 & 13 from which

a Beech 12 in. dia. leans S 28 W 8 lbs. dist. 8

a Hickory 9 " " " N 10 E 10 " "

Land similar to that on last mile

North on the E. Boundary of Sec. 12, T 17 N, R 6 W

40.00 set of sec. post from which

a Beech 12 in. dia. leans S 9 W 11 lbs. dist. 8

T17N., R. 5W. 2^d. Mer. Ind.
Chs. Spr.

a Beech 24 in. dia. diam N22E42 lbs. dia. 8
55.00 a Creek 50 lbs. wide course NW
67.50 same Creek " NE
80.00 tot part cor. of sec. 1 & 12 from which
a W. Ash 10 in. dia. diam N14E44 lbs. dia. 8
a Sugar 9 " " " South 3 " "
Land 1/2 mile same as last noted, 1/2 mile
broken

North on the E. Boundary of Sec. 1, T17N, R6W

1.50 a Creek 50 lbs. wide course NW
40.00 tot of sec. part from which
a Sugar 14 in. dia. diam S29E5 lbs. dia. 8
an Elm 9 " " " N62E6 " "
78.00 a Brook 12 lbs. wide course SW
80.00 tot temp. Township corner.
Land part level & part broken, 2^d rate Soil.
Surveyed in 1819 by William Harris
Dep. Surveyor.

Subdivision.

North between Sec. 35 & 36, T17N, R5W

17.55 a Sugar 26 in. dia.
40.00 tot of sec. part from which
a Beech 9 in. dia. diam N56W8 lbs. dia. 8
a Do 8 " " " S62E20 " "
63.20 a B. Oak 30 " "
80.00 tot part cor. of sec. 25, 26, 35 & 36 from which
a Sugar 12 in. dia. diam S18E24 lbs. dia. 8
a Do 10 " " " N29W14 " "
Land level, soil 2^d rate, timber Beech, Ash,
Sugar, B. Walnut Upr. Spruce

East on Randon between Sec. 25 & 36

40.00 tot temp. of sec. part
80.00 Intersect E. Boundary 28 lbs. N. of part -

T. 17 N., R. 5 W. 2. Mer. Ind. a
Ch. Lk.

Sand level, soil 2. rate, timber Beech, Poplar,
B. Walnut, Sugar - Upr. Spice

West Connected between Sec. 25 & 26

40.00 set of sec. post at aver. dist. from which
a Beech 22 in. diameter N 71° W 12 lbs. dist. 8
a Do 14 " " " S 34° E 7 " "

80.00 to sec. cor.

North between Sec. 25 & 26

21.24 a Sugar 20 in. dia.

40.00 set of sec. post from which
a Poplar 18 in. diameter N 57° W 21 lbs. dist. 8
a Beech 12 " " " S 28° E 44 " "

57.24 a Do 24 " "

80.00 set post cor. of sec. 23, 24, 25 & 26 from which
a Poplar 22 in. diameter S 83° W 35 lbs. dist. 8
a W. Ash 24 " " " N 83° E 30 " "

Sand level, soil 2. rate, timber Beech, Ash,
Elm, Poplar, B. Walnut, Upr. Spice

East or Random between Sec. 24 & 25

40.00 set temp. of sec. post

57.00 a Stream 9 lbs wide corner N

79.97 Intersect E. Boundary 8 lbs. N. of post -

Sand level, soil 2. rate, timber Beech, Ash,
Sugar, B. Walnut, Poplar - Upr. Spice

West Connected between Sec. 24 & 25

39.98 set of sec. post at aver. dist. from which
a Beech 14 in. diameter N 68° W 13 lbs. dist. 8
a Do 18 " " " S 22° E 35 " "

79.97 to sec. cor.

North between Sec. 23 & 24

20.80 a W. Hickory 14 in. dia.

T. 17 N., R. 5 W. 2. Mer. Ind. a

Chr. Geo.

- 40.00 Set of sec. post from which
 a Sugar 14 in. diameter S55 E 9 1/2 m. dist. &
 a Do 9 " " " S87 W 13 " "
- 64.50 a W. Ash 28 " "
- 75.50 a Stream 6 m. wide course S W
- 80.00 Set post cor. of sec. 13, 14, 23 & 24 from which
 a Beech 18 in. diameter N86 E 25 m. dist. &
 a Do 12 " " " N51 W 15 " "
 Land broken, soil 2. rate, timber Beech, Ash,
 Poplar, B. Walnut, Sugar Upr. Spruce

East in Random between Sec. 13 & 24

- 20.50 a Stream 6 m. wide course N.
- 40.00 Set temp. of sec. post
- 80.00 Intersect E. Boundary 1 m. S. of post -
 Land level & good for farming, timber Beech,
 Sugar, B. Walnut, Poplar - Upr. Spruce

West Connected between Sec. 13 & 24

- 40.00 Set of sec. post at aver. dist. from which
 a Sugar 16 in. diameter S45 W 29 m. dist. &
 a Do 9 " " " N35 E 21 " "
- 80.00 to sec. cor. August 27. 1820

North between Sec. 13 & 14

- 9.60 a Stream 10 m. wide course E
- 20.00 a Hickory 24 in. dia.
- 31.70 a Stream 6 m. wide course N W
- 40.00 Set of sec. post from which
 a Beech 20 in. diameter N49 E 20 m. dist. &
 a Do 18 " " " N58 W 15 " "
- 43.80 a Stream 10 m. wide course N E
- 60.80 a Beech 10 in. dia.
- 80.00 Set post cor. of sec. 11, 12, 13 & 14 from which
 a Beech 15 in. diameter N33 E 34 m. dist. &
 a Do 4 " " " S51 W 7 " "

T. 17 N., R. 5 W. 2^d. Mer. Ind. a.
 E. h. Sp.

Land level, soil 2^d rate, timber Beech, Ash, B. Walnut,
 Sugar Upr. Spice

East on Random between Sec. 12 & 13

40.00 set temp. g. sec. post

60.00 a Stream 15 th. wide course N⁴W

73.00 a Do 9 " " " " N⁴W

79.83 Intersect E. Boundary 20 th. S. of post -

Level, good farming land, timber Sugar, Beech,
 Ash, B. Walnut, Poplar Upr. Spice

West Connected between Sec. 12 & 13

39.91 set g. sec. post at aver. dist. from which

a Sugar 6 in. dia. decars S 50° W 7 th. dist. 8

a Beech 18 " " " " S 82° E 22 " "

79.83 to sec. cor.

North between Sec. 11 & 12

15.00 a Stream 40 th. wide course W.

20.21 a Sugar 14 in. dia.

40.00 set g. sec. post from which

a W. Elm 18 in. dia. decars N 37° W 35 th. dist. 8

a Do 10 " " " " S 79° E 35 " "

65.05 a W. Ash 18 " "

80.00 set post cor. of sec. 1, 2, 11 & 12 from which

a Beech 12 in. dia. decars S 52° W 12 th. dist. 8

a Buckeye 10 " " " " N 37° E 30 " "

Land level, soil 3^d rate, timber Beech, Ash,
 Poplar, Sugar, W. Oak, Hickory; Upr. Spice &
 Hazel September 5. 1820

East on Random between Sec. 11 & 12

27.40 a Stream 12 th. wide course N⁴W

29.00 same Stream " " S⁴W

30.00 Do Do " " N⁴W

40.00 set temp. g. sec. post

T. 17 N., R. 5 W. 2. Mer. Ind. a.

Elev. 26.

79.90 Intersect E. Boundary 20 lbs. S. of port -
 Land level, soil 3. rate, timber W. Oak, Beech,
 Walnut, B. Ash, Upr. Hazel

West Connected between Sec. 1 & 12

39.95 set g. sec. port at aver. dist. from which
 a B. Elm 16 in. dia. bears N 9 W 17 lbs. dist. 8
 a Sugar 16 " " " S 35 E 27 " "
 79.90 to sec. cor.

North between Sec. 1 & 2

20.82 a Beech 16 in. dia.
 39.50 a Stream 20 lbs. wide course N W
 40.00 set g. sec. port from which
 a W. Oak 18 in. dia. bears N 4 E 34 lbs. dist. 8
 a Do 18 " " " S 40 W 10 " "
 42.00 same Stream course S W
 69.94 a Beech 36 in. dia.
 74.75 Intersect N. Boundary at port -
 Land level, soil 3. rate, timber Beech, Hickory,
 Poplar, Ash, B. W. Oak Upr. Spice
 September 6. 1820

North between Sec. 34 & 35

18.20 a W. Ash 36 in. dia.
 40.00 set g. sec. port from which
 a Sugar 26 in. dia. bears S 37 W 8 lbs. dist. 8
 a Do 13 " " " N 50 E 21 " "
 43.50 a Stream 12 lbs. wide course N W
 60.21 a Beech 24 in. dia.
 80.00 set port cor. of sec. 26, 27, 34 & 35 from which
 a Beech 6 in. dia. bears N 34 W 22 lbs. dist. 8
 a W. Ash 24 " " " S 40 E 35 " "
 Land level, soil on T. 1/2 mile T. rate, last 1/2
 mile 3. rate, timber Beech, Poplar, B. Walnut,
 Sugar Upr. Spice

T. 17N., R. 5W., 2. Mer. Ind.

Ch. Lts.

East on Random between Secs. 26 & 35

40.00 set temp. g. sec. post

79.97 Intersect N & S. line 5 hrs. S. of post -

Land level, soil T. rate, timber B. Walnut,
Poplar, Sugar, Beech, Ash. Upr. Spice

West Connected between Secs. 26 & 35

39.98 set g. sec. post at aver. dist. from which

a Sugar 20 in. dia. bears S 72 E 14 hrs. dist 8

a Do 7 " " " S 78 W 15 " "

79.97 to sec. cn.

North between Secs. 26 & 27

10.25 a Stream 10 hrs. wide course W

18.13 a W. Hickory 22 in. dia.

40.00 set g. sec. post from which

a Sugar 12 in. dia. bears N 67 W 6 hrs. dist 8

a Do 9 " " " N 55 E 25 " "

42.75 a Stream 5 hrs. wide course S W

63.78 a W. Oak 14 in. dia.

80.00 set post cn. of sec. 22, 23, 26 & 27 from which

a Beech 6 in. dia. bears N 25 E 11 hrs. dist 8

a Do 6 " " " S 43 W 24 " "

Land level, soil T. rate, timber Sugar, B. Walnut,
Ash. Upr. Spice

East on Random between Secs. 23 & 26

40.00 set temp. g. sec. post

80.05 Intersect N & S. line at post -

Land level, soil T. rate, timber Beech, Ash,
Sugar, Poplar, B. Walnut. Upr. Spice

West Connected between Secs. 23 & 26

40.02 set g. sec. post at aver. dist. from which

a Beech 14 in. dia. bears S 10 E 20 hrs. dist 8

a Do 13 " " " N 58 W 13 " "

T. 17 N., R. 5 W. 2. Mer. Ind. a

Elev. Sh.

80.05 to sec. cr.

North between Sec. 22 & 23

16.60 a Beech 26 in. dia.

24.00 a Stream 12 lbs. wide course N W

40.00 set of sec. post from which

a Sugar 6 in. diameter East 38 lbs. dist. 8

a Beech 22 " " West 3 " "

50.50 a Stream 7 lbs. wide course N W

64.83 a W. Oak 40 in. dia.

80.00 set post on. of sec. 14, 15, 22 & 23 from which

a B. Ash 16 in. diameter S 24 E 6 lbs. dist. 8

an Ironwood 10 " " N 4 W 18 " "

Land level, soil 2. rate, timber Beech, Ash,

B. Oak, Sugar, Hickory, Poplar. Upr. Spruce

East on Random between Sec. 14 & 23

40.00 attempt of sec. post

63.50 a Stream 10 lbs. wide course N

80.04 Intersect N. & S. line 10 lbs. E. of post -

Land level, soil 2. rate, timber Beech, Ash, Poplar

Walnut Sugar; Upr. Spruce

West Connected between Sec. 14 & 23

40.02 set of sec. post at aver. dist. from which

a Sugar 26 in. diameter South 42 lbs. dist. 8

a Do 9 " " N 5 E 14 " "

80.04 to sec. cr. September 7. 1820

North between Sec. 14 & 15

2.60 a Stream 6 lbs. wide course W

17.81 a Beech 9 in. dia.

40.00 set of sec. post from which

a Beech 9 in. diameter S 52 W 33 lbs. dist. 8

a Do 8 " " N 6 E 15 " "

45.00 a Stream 6 lbs. wide course N W

T. 17 N., R. 5 W. 2. Mer. Ind. a

Chs. Chs.

56.00 same stream course NE

67.31 a Beech 12 in. dia.

68.00 same stream course NW

74.00 a stream 5 lbs. wide course SW

80.00 set post cor. of sec. 10, 11, 14 & 15 from which
a Honey Locust 30 in. dia. leans S 89 W 10 lbs. dist. 8

a Poplar 26 " " " N 60 E 18 " "

Sand level, soil 2. rate, timber Beech, Ash, B.
Walnut, Poplar - Upr. Spruce

East on Random between Sec. 10 & 14

40.00 set temp. g. sec. post in a stream 4 lbs. wide
course N

79.90 intersect N. S. line 10 lbs. S. of post -

Sand level, soil 2. rate, timber Beech, Sugar,
Walnut, Ash. Upr. Spruce

West Connected between Sec. 10 & 14

39.95 set g. sec. post at area. dist. from which

a Beech 20 in. dia. leans N 11 W 9 lbs. dist. 8

a Dr 24 " " " S 26 W 40 " "

79.90 to sec. cor.

North between Sec. 10 & 11

19.50 a stream 40 lbs. wide course NW

23.76 a Hickory 12 in. dia.

40.00 set g. sec. post from which

a Hickory 16 in. dia. leans North 11 lbs. dist. 8

a Beech 10 " " " S 42 W 17 " "

61.42 a W. Oak 40 " "

80.00 set post cor. of sec. 2, 3, 10 & 11 from which

a Buckeye 8 in. dia. leans N 16 E 8 lbs. dist. 8

a Beech 11 " " " S 39 E 7 " "

Sand level, soil 2. rate, timber Beech, Ash,
Poplar, Sugar, B. Walnut. Upr. Spruce

T. 17 N., R. 5 W. 2. Mer. Ind. a.

Chs. Chs.

East in Paudon between Sec. 2 & 11

13.00 a Stream 8 lbs. wide course NW

40.00 set temp. of sec. port

79.96 Intersect N. S. line 8 lbs. S. of port -

Land level, soil 3. rate, timber Beech, Ash,
Sugar, W. Oak. Upr. Spruce

West Connected between Sec. 2 & 11

39.98 set of sec. port at av. dist. from which

a W. Oak 24 in. diameter S 27° E 4 lbs. dist. 8

and from? 6 s s s N 21° W 17 s s

79.96 to sec. cor.

North between Sec. 2 & 3

12.00 a Stream 12 lbs. wide course NW

20.84 a Beech 24 in. dia.

40.00 set of sec. port from which

a W. Elm 14 in. diameter N 73° W 14 lbs. dist. 8

a W. Oak 5 s s s S 40° E 8 s s

58.36 a Beech 12 s s

74.76 Intersect N. Boundary 9 lbs. E. of port -

set port at intersection cor. of sec. 2 & 3 from which

a Sugar 20 in. diameter S 66° W 6 lbs. dist. 8

a Beech 8 s s s S 43° E 6 s s

Land level 3. rate, timber Beech, Ash, Sugar,
B. Oak. Upr. Spruce - September 8, 1820

North between Sec. 33 & 34

20.35 a B. Ash 7 in. dia.

28.50 a Stream 5 lbs. wide course NW

40.00 set of sec. port from which

a Beech 10 in. diameter N 88° W 22 lbs. dist. 8

a W. Ash 18 s s s S 88° E 37 s s

63.31 a W. Hickory 11 in. dia.

73.50 a Stream 15 lbs. wide course NW

80.00 set port cor. of sec. 27, 28, 33 & 34 from which

T. 17 N., R. 5 W. 2. Mer. Ind. a
Chr. Gb.

a W. Oak 30 in. dia. bears S 38 W 22 1/2 m. dist. 8
a Sugar 14 " " " N 49 E 32 " "
Land level, soil 1st rate, timber Poplar, B.
Walnut, Sugar, Beech, Ash, Honey Locust

East on Random between Sec. 27 & 34

18.00 a Stream 15 lks. wide course S. W

40.00 Set temp. gr. Sec. post

49.00 a Stream 6 lks. wide course North

80.00 Intersected N & S line 20 lks. S. of post

Land level first rate timber poplar B. Walnut
Beech & Sugar

West Connected Between Sec. 27 & 34

40.00 Set gr. Sec. post at aver. dist from which

a Sugar 12 in. dia. bears S 12 E 16 1/2 m. dist. &

a Do 12 " " " N 61 W 20 " "

80.00 Sec. Cor.

North Between Sec. 27 & 28

18.24 a Beech 16 in. dia.

40.00 Set gr. Sec. post from which

a Beech 24 in. dia. bears S 70 E 36 lks. dist. &

a W. Hickory 22 " " " N 10 W 20 " "

68.80 a Beech 14 " "

80.00 Set post cor. to Sec. 21. 22. 27. 28 from which

a Beech 10 in. dia. bears South 5 lks. dist. &

a Do 10 " " " N 46 E 20 " "

Land level 2nd rate timber B. Walnut poplar
Ash Sugar Beech N. gr. Spruce

East on Random Between Sec. 22 & 27

10.70 a Stream 5 lks. wide course N. W

40.00 Set temp. gr. Sec. post

79.96 Intersected N & S line 9 lks. N. of post

Land level 2nd rate tim. Beech Sugar B. Walnut & Spruce

T. 17 N., R. 5 W. 2. Mer. Ind.^a

Mrs. Lks.

West Corrected Between Secs. 22 & 27

79.98 Set gr. Sec. post at aver. dist. from which
a Beech 12 in. dia. bears S 48 W 15 lks. dist. &

" Do 16 " " " East 11 " "

79.96 Sec. Cor.

North Between Secs. 21 & 22

12.50 a Stream 10 lks. wide course West

19.42 a Beech 24 in. dia.

40.00 Set gr. Sec. post from which

a B. Oak 40 in. dia. bears N 69 E 25 lks. dist. &

a Beech 6 " " " N 66 W 12 " "

57.03 a Do 18 " "

69.00 a Stream 12 lks. wide course West

80.00 Set post cor. to Secs. 15, 16, 21, 22. from which

a Beech 14 in. dia. bears North 18 lks. dist. &

Do 15 " " " S 42 W 28 " "

Land level 2^d rate timber Beech Hickory Ash

Poplar Ugr. Spruce &c

East on Random Between Secs. 15 & 22

40.00 Set temp. gr. Sec. post

79.90 Intersected N & S line 11 lks. N. of post

Land level 2^d rate timber Beech Ash poplar

Ugr. Spruce &c

West Corrected Between Secs. 15 & 22

39.95 Set gr. Sec. post at aver. dist. from which

a Beech 24 in. dia. bears S 7 W 25 lks. dist. &

a Do 12 " " " N 25 W 5 " "

79.95 Sec. Cor.

September 9th 1820

North Between Secs. 15 & 16

20.47 a W. Elm 28 in. dia.

20.50 a Stream 10 lks. wide course West

40.00 Set gr. Sec. post from which

T. 17 N., R. 5 W. 2. Mer. Ind. a

Chs. Lks.

- a Sugar 12 in. dia. bears S 80 W 11 lks. dist. &
 a Beech 24 " " " N 39 E 20 " "
 61.66 a Sugar 13 " "
 80.00 Set post cor. to Sec. 9. 10. 15. 16 from which
 a W. Oak 18 in. dia. bears S 74 W 32 lks. dist. &
 a Beech 12 " " " N 46 E 10 " "
 Land level & note timber Beech Sugar
 Walnut poplar Agr. Spice
-

East on Random Between Sec. 10 & 15

- 14.50 a Stream 6 lks. wide course N. E.
 40.00 Set temp gr. Sec. post
 73.00 a Stream 10 lks. wide course N. W.
 79.95 Intersected N. & S. line 15 lks. N. of post
 Land good farming land timber Beech
 Sugar Ash Hickory W. & B. Oak Agr. Spice &c
-

West Corrected Between Sec. 10 & 15

- 39.97 Set gr. Sec. post at aver. dist. from which
 a Beech 20 in. dia. bears N 38 W 30 lks. dist. &
 a Do 12 " " " S 83 E 12 " "
 79.95 Sec. Cor.
-

North Between Sec. 9 & 10

- 20.50 a W. Hickory 10 in. dia.
 40.00 Set gr. Sec. post from which
 a B. Walnut 28 in. dia. bears S 35 W 27 lks. dist. &
 a W. Oak 24 " " " N 18 W 35 " "
 46.00 a Stream 6 lks. wide course N. E.
 59.00 a Beech 10 in. dia.
 65.50 a Stream 75 lks. wide course W.
 80.00 Set post cor. to Sec. 3. 4. 9. 10 from which
 a Beech 18 in. dia. bears S 54 W 9 lks. dist. &
 a W. Oak 24 " " " N 28 E 32 " "
 Land level good farming land timber Beech
 Ash Sugar B. Walnut B. W. Oak poplar Agr. Spice
-

T. 17 N., R. 5 W. 2. Mer. Ind.^u

Chs. Eka

East in Bandwin Between Sec. 3 & 10

25.00 a Stream 10 lks. wide course S. W.

40.00 Set temp gr. Sec. post

41.00 a Stream course N. W.

79.93 Intersected at S. line 18 lks. N. of post

Land level 2nd rate timber Beech Ash Sugar
poplar B. Walnut W & B. Oak Ugr. Spice &c

West Corrected Between Sec. 3 & 10

39.96 Set gr. Sec. post at aver. dist. from which

a Beech 26 in. dia. bears N 45 E 33 lks. dist. &c.

" Do 24 " " " S 42 W 32 " "

79.93 Sec. Cor.

North Between Sec. 3 & 4

21.05 a W. Oak 36 in. dia.

40.00 Set gr. Sec. post from which

a Sugar 20 in. dia. bears S 79 E 14 lks. dist. &c

a W. Oak 30 " " " N 81 W 47 " "

61.68 a Beech 12 " "

73.30 Intersected at Boundary 100 lks. E. of post.

Set post cor. to Sec. 3 & 4 from which

a Beech 20 in. dia. bears S 36 W 34 lks. dist. &c

a Sugar 14 " " " S 37 E 42 " "

Land level 2nd rate timber Beech Ash B.

Walnut poplar Sugar Hickory Ugr. Spice &c

September 10th 1820

North Between Sec. 32 & 33

5.00 a Stream 15 lks. wide course S. W

23.44 a B. Oak 18 in. dia.

40.00 Set gr. Sec. post from which

a Beech 20 in. dia. bears S 34 W 44 lks. dist. &c

a W. Elm 22 " " " N 76 E 40 " "

59.60 a Maple 16 " "

80.00 Set post cor. to Sec. 28. 29. 32. 33 from which

T. 17 N., R. 5 W. 2^d Mer. Ind.^a

W. S. L. S.

" Maple 18 in. dia. bears N 37 E 24 lbs. dist. &
 " W. Ash 16 " " " West 29 " "
 Land level 2^d rate timber Beech W. Oak B.
 Oak Ash Sugar Mgr. Spice &c

East on Random Between Secs. 28 & 33

40.00 Set temp. gr. Sec. post

80.60 Intersected at S. line 10 lbs. N. of post
 Land level 2^d rate timber Beech Ash B.
 Oak W. Oak poplar Mgr. Spice &c

West Corrected Between Secs. 28 & 33

40.30 Set gr. Sec. post at aver. dist. from which
 " B. Oak 8 in. dia. bears S 71 E 19 lbs. dist. &
 " W. Ash 10 " " " N 26 W 12 " "
 80.60 Sec. Cor.

North Between Secs. 28 & 29

19.55 " Sugar 18 in. dia.

40.00 Set gr. Sec. post from which
 " Sugar 16 in. dia. bears S 41 E 24 lbs. dist. &
 " Do 14 " " " N 75 W 28 " "

62.43 " Beech 36 " "

62.70 " Stream 18 lbs. wide course N. W.

80.00 Set post cor. to Secs. 20. 21. 28. 29 from which
 " W. Elm 28 in. dia. bears N 40 W 4 lbs. dist. &
 " W. Ash 20 " " " N 76 E 40 " "
 Land level 2^d rate timber Beech Ash Hick-
 ory poplar Sugar B. W. Oak Mgr. Spice &c

East on Random Between Secs. 21 & 28

40.00 Set temp. gr. Sec. post

81.00 Intersected at S. line at post
 Land level 2^d rate timber Beech Sugar
 B. Walnut poplar B. Oak W. Oak mgr. Spice

T. 17 N., R. 5 W. 2. Mer. Ind.

Chs. Lks.

West Corrected Between Secs. 21 & 28

- 40.50 Set temp. gr. Sec. post at aver. dist. from which
 " Beech 18 in. dia. bears N 5 E 45 lks. dist. &
 " B. Ash 16 " " " South 18 " "
 81.00 Sec. Cor.

North Between Secs. 20 & 21

- 20.50 " Hickory 12 in. dia.
 40.00 Set gr. Sec. post from which
 " Ironwood 6 in. dia. bears N 49 W 14 lks. dist.
 " Beech 14 " " " S 68 E 25 " "
 41.00 " Stream 12 lks. wide course S. W.
 58.89 " W. Elm 20 in. dia.
 80.00 Set post cor. to Secs. 16, 17, 20, 21 from which
 " W. Elm 22 in. dia. bears S 77 E 48 lks. dist. &
 " Maple 14 " " " N 43 W 5 " "
 Land level good farming land timber
 Beech Ash B. Walnut poplar Agr. Spice &c

East on Random Between Secs. 16 & 21

- 40.00 Set temp. gr. Sec. post
 51.75 " Stream 12 lks. wide course N. W.
 80.85 Intersected N & S line 11 lks. N. of post
 Land level 2nd rate timber Beech poplar Ash
 Sugar Agr. Spice &c

West Corrected Between Secs. 16 & 21

- 40.42 $\frac{1}{2}$ Set gr. Sec. post at aver. dist. from which
 " Beech 10 in. dia. bears S 35 W 8 lks. dist. &
 " Do 12 " " " N 32 W 24 " "
 80.85 Sec. Cor. September 11th 1820

North Between Secs. 16 & 17

- 17.40 " Beech 12 in. dia.
 40.00 Set gr. Sec. post from which
 " Beech 11 in. dia. bears S. 31 W 9 lks. dist. &

171

T. 17 N., R. 5 W. 2^d Mer. Ind^a

Chs. Lks.

a Sugar 18 in. dia. bears N 66 28 Sks. dist. x
 57.00 a Do 12 " "
 80.00 Set post cor. to Sec. 8, 9, 16, 17 from which
 a B. Ash 36 in. dia. bears North 10 Sks. dist. x
 a Sugar 10 " " " S 24 E 30 " "
 Land level 3^d rate timber Beech Ash poplar
 Mgr. Spice &c

East on Random Between Sec. 9 & 16

6.50 a Stream 18 Sks. wide course N. W.
 40.00 Set temp. gr. Sec. post
 81.00 Intersected N & S. line 5 Sks. S. of post
 Land level 3^d rate timber. Beech W. Oak Sugar
 or poplar Mgr. Spice &c

West Corrected Between Sec. 9 & 16

40.50 Set gr. Sec. post at arr. dist. from which
 a Beech 20 in. dia. bears N 27 E 43 Sks. dist. x
 Do 5 " " " S 50 W 11 " "
 81.00 Sec. Cor.

North Between Sec. 8 & 9

15.00 a Stream 18 Sks. dist. course W.
 21.00 a W. Oak 30 in. dia.
 35.50 a Stream 30 Sks. wide course S. W.
 40.00 Set gr. Sec. post from which
 a W. Oak 36 in. dia. bears S 78 W 37 Sks. dist. x
 a Beech 18 " " " North 9 " "
 59.69 a Do 12 " "
 80.00 Set post cor. to Sec. 4, 5, 8, 9 from which
 a Beech 18 in. dia. bears N 76 W 24 Sks. dist. x
 Do 18 " " " South 20 " "
 Land Broken 2^d rate timber W. Oak Beech
 Poplar B. Walnut Undergrowth Spice
 September 11th. 1820

T. 17 N., R. 5 W. 2. Mer. Ind. a

Mrs. Lks.

East on Random Between Sec. 4 & 9

40.00 Set temp. gr. Sec. post

81.00 Intersected N & S. line 5 lks. N. of post

Land broken 2^d rate timber Beech W Oak
B. Oak poplar Agr. Spice &c

West Corrected Between Sec. 4 & 9

40.50 Set gr. sec. post at aver. dist. from which
a Beech 14 in. dia. bears N 7 E 28 lks. dist. &

a Sugar 18 " " " S 29 W 23 " "

81.00 Sec. Cor.

North Between Sec. 4 & 5

23.92 a Beech 12 in. dia.

40.00 Set gr. Sec. post from which

a W. Oak 24 in. dia. bears N 44 E 38 lks. dist. &

a Beech 14 " " " S 58 W 28 " "

62.36 a Do. 10 " "

73.50 Intersected E. Boundary 83 lks. E. of post

Set post cor. to Sec. 4 & 5 from which a

a Sugar 15 in. dia. bears South 11 lks. dist. &

a B. Walnut 24 " " " S 66 W 34 " "

Land broken 2^d rate timber W & B. Oak Sugar
Walnut Beech Agr. Spice &c

North Between Sec. 31 & 32

4.20 a Stream 6 lks. wide course S. W

21.60 a W. Elm 24 in. dia.

40.00 Set gr. Sec. post from which

a B. Ash 6 in. dia. bears S 59 W 29 lks. dist. &

a Hickory 14 " " " N 70 E 41 " "

47.00 a Stream 4 lks. wide course N. W.

60.76 a Beech 18 in. dia.

80.00 Set post cor. to Sec. 29, 30, 31, 32 from which

a Sugar 14 in. dia. bears S 37 W 17 lks. dist. &

a Do 7 " " " N 82 E 24 " "

T. 17 N., R. 5 W. 2. Mer. Ind.^a
 Mrs. Mrs.

Land level good farming land timber
 poplar Sugar ash B. Walnut Hickory Ugr.
 Spice &c

East on Random Between Sec. 29 & 32

40.00 Set temp. gr. Sec. post

80.00 Intersected cr. & S. line 25 lks. N. of post

Land level 2nd rate timber B. Walnut Sugar
 poplar Honey Locust Ugr. Spice &c

West Corrected Between Sec. 29 & 32

40.00 Set gr. Sec. post at ar. dist. from which
 a Hickory 14 in. dia. bears S 71 W 19 lks. dist. &
 a W. Oak 16 " " " S 72 E 10 " "

80.00 Sec. Cor. September 12th 1820

North Between Sec. 29 & 30

19.25 a Beech 18 in. dia.

36.00 a Stream 15 lks. wide course W.

40.00 Set gr. Sec. post from which

a Sugar 20 in. dia. bears S 26 W 26 lks. dist. &

a Do 14 " " " N 46 E 13 " "

65.63 a Poplar 40 " "

69.00 a Stream 15 lks. wide course W.

80.00 Set post on to Sec. 19. 20. 29. 30 from which

a Beech 8 in. dia. bears N 56 E 15 lks. dist. &

Do 6 " " " S 36 W 21 " "

Land level 1st rate timber Beech Sugar B.
 Walnut Ugr. Spice &c

East on Random Between Sec. 20 & 29

35.00 a Stream 14 lks. wide course S.

40.00 Set temp. gr. Sec. post

79.80 Intersected cr. & S. line 10 lks. N. of post

Good farming land timber B. W. Oak
 Sugar ash poplar B. Walnut Ugr. Spice &c

T. 17 N., R. 5 W. 2^d Mer. Ind.^a
 Qns. Qns.

West Corrected Between Secs. 20 & 29

39.90 Set gr. Sec. post at aver. dist. from which
 a Beech 18 in. dia. bears N 69 E 8 lks. dist. &

Do 24 " " " S 33 W 37 " "

79.80 Sec. Cor.

North Between Secs. 19 & 20

14.50 a Stream 12 lks. wide course S. W

22.11 a Beech 20 in. dia.

40.00 Set gr. Sec. post from which

a W. Elm 50 in. dia. bears N 85 W 20 lks. dist. &

a Beech 12 " " " S 23 E 16 " "

63.20 a W. ash 12 " "

80.00 Set post cor. to Secs. 17, 18, 19, 20 from which

a W. ash 16 in. dia. bears N 55 W 16 lks. dist. &

a Beech 14 " " " South 16 " "

Land level 2^d rate timber Beech ash Sugar
 Walnut Mgr. Spice &c

East on Random Between Secs. 17 & 20

40.00 Set temp. gr. Sec. post

79.83 Intersected N & S. line 20 lks. S. of post

Land level 2^d rate timber Beech ash Sugar

Poplar Walnut Mgr. Spice &c

West Corrected Between Secs. 17 & 20

39.91 $\frac{1}{2}$ Set gr. Sec. post at aver. dist. dist. from which

a Beech 16 in. dia. bears S 39 E 29 lks. dist. &

a Sugar 9 " " " N 6 W 23 " "

79.83 Sec. Cor.

North Between Secs. 17 & 18

20.37 a Beech 16 in. dia.

40.00 Set gr. Sec. post from which

a Beech 14 in. dia. bears S 12 W 20 lks. dist. &

a Do 14 " " " N 20 E 10 " "

T. 17 N., R. 5 W. 2. Mer. Ind. a

145

Mr. Ghs

57.72 a Hickory 20 in. dia.

60.55 a Stream 4 lks. wide course N.W.

80.00 Set post cor. to Sec. 7. 8. 17. 18 from which
a Beech 12 in. dia. bears N 85 W 1 lks. dist. &
a W. Oak 10 " " " S 68 E 10 " "

Land level first rate broken timber poplar
Ash Sugar B. Walnut Agr. Spice &c

East on Random Between Sec. 8 & 17.

40.00 Set temp. gr. Sec. post

79.85 Intersected at 8 1/2 line lks. N. of post

Land Broken 3rd rate timber poplar Oak
Agr. Spice &c

West Corrected Between Sec. 8 & 17

39.92 Set gr. Sec. post at area dist from which

a Hickory 18 in. dia. bears S 22 E 3 1/2 lks. dist. &

a Beech 17 " " " N 58 W 2 1/2 " "

79.85. Sec. Cor. September 13th 1820

North Between Sec. 7 & 8

12.50 a Stream 10 lks. wide course N.W.

22.16 a Sugar 10 in. dia.

40.00 Set gr. Sec. post from which

a Beech 26 in. dia. bears S 43 E 2 1/2 lks. dist. &

Do 9 " " " N 43 W 7 " "

63.43 a Sugar 10 " "

80.00 Set post cor. to Sec. 5. 6. 7. 8 from which

a W. Oak 30 in. dia. bears South 12 lks. dist. &

a Beech 10 " " " N 17 W 1 1/2 " "

Land Broken 3rd rate timber W. Oak Beech
Poplar Ash Hickory Agr. Dogwood Spice

East on Random Between Sec. 5 & 8

1.50 a Stream 12 lks. wide course N.W.

40.00 Set temp. gr. Sec. post

T. 17 N., R. 5 W. 2^d Mer. Ind.^aW. 2^d Mer.

52.00 a Stream course S. W

79.80 Intersected N. & S. line 12 lbs. N. of post

Land broken 3^d rate timber Beech Sugar Ash

W. & B. Oak Agr. Spice

West Corrected Between Secs. 5 & 8

39.90 Set gr. Sec. post at aver. dist. from which

a Beech 9 in. dia. bears N 34 W 27 lbs. dist. &

a Sugar 16 " " " S 38 E 13 " "

79.80 Sec. Cor.

North Between Secs. 5 & 6

2.50 a Stream 12 lbs. wide course W.

20.40 a Beech 24 in. dia.

40.00 Set gr. Sec. post from which

a Beech 30 in. dia. bears S 73 W 20 lbs. dist. &

a Do 8 " " " S 40 E 18 " "

60.54 a Poplar 26 " "

73.40 Intersected North. Boundary 160 E. of post from

a Beech 20 in. dia. bears S 47 E 50 lbs. dist. &

a Do 10 " " " S 84 W 54 " "

Land broken 2^d rate timber Beech Sugar
Poplar W. Oak Agr. Spice

West Between Secs. 30 & 31

22.50 a Stream 4 lbs. wide course N.

23.54 a Honeylocust 24 in. dia.

40.00 Set gr. Sec. post from which

a Sugar 12 in. dia. bears N 6 W 16 lbs. dist. &

a Do 12 " " " S 48 E 18 " "

60.00 a Stream 6 lbs. wide course S. W.

80.20 Intersected W. Boundary 18 lbs. N. of post

Set post cor. to Sec. 30. 31 from which

a B. Walnut 10 in. dia. bears S 63 E 48 lbs. dist. &

a W. Beech 7 " " " N 59 E 57 " "

Good farming land B. Walnut Sugar Beech Agr. Spice

T. 17 N., R. 5 W. 2^d Mer. Ind.^a
 Mrs. Sh.

West Between Secs. 19 & 30

- 3.50 a Stream 12 lks. wide course N.
 21.00 " Do 6 " " " S.
 40.00 Set gr. Sec. post from which
 a Beech 14 in. dia. bears N 20 W 22 lks. dist. &
 a Do 9 " " " S 65 E 18 " "
 80.00 Intersected W. Boundary 24 lks. N. of post
 Set post cor. to Sec. 19. 30. from which
 a Beech 11 in. dia. bears East 46 lks. dist. &
 a Do 18 " " " N 58 E 38 " "
 Land level 2^d rate timber Oak Beech poplar
 Ugr. Spice &c
-

West Between Secs. 18 & 19

- 40.00 Set gr. Sec. post from which
 a Beech 20 in. dia. bears N 30 E 28 lks. dist. &
 a Do 12 " " " S 32 E 21 " "
 79.50 Intersected W. Boundary 23 lks. S. of post
 Set post cor. to Sec. 18. 19 from which
 a Sugar 12 in. dia. bears N 87 E 20 lks. dist. &
 a Beech 4 " " " S 54 E 32 " "
 good farming land timber Walnut B
 ash poplar Ugr. Spice &c
-

West Between Secs. 7 & 18

- 12.00 a Stream 12 lks. wide course S. W
 40.00 Set gr. Sec. post from which
 a W. Oak 14 in. dia. bears N 69 W 30 lks. dist. &
 a Sugar 12 " " " S 63 E 8 " "
 55.00 a Stream 5 lks. wide course N.
 79.50 Intersected W. Boundary 50 lks. S. of post
 Set post cor. to Sec. 7 & 8 from which
 a Hickory 24 in. dia. bears S 34 E 38 lks. dist. &
 a Do 20 " " " N 65 E 25 " "
 Land broken 2^d rate timber poplar Beech
 Sugar Ugr. Spice Sep. 14th 1820
-

T. 17 N., R. 5 W. 2^d Mer. Ind.^a

Chs. Shs.

West Between Sec. 6 & 7

12.20 a Stream 600 yds wide course S. W.

40.00 Set gr. Sec. post from which

a Beech 14 in. dia bear N 65 W 22 lbs. dist. &

a Do 16 " " " 99 E 20 " "

79.50 Intersected W. Boundary 40 lbs. ct. of post

Set post cor. to Sec. 6 & 7 from which

a Sugar Cin. dia. bear N 84 E 16 lbs. dist. &

a Do 4 " " " 97 4 E 24 " "

This post stands on the W. Bank of a large creek 120 lbs. wide course N.

Land broken 3^d rate timber W. Oak Beech

Poplar Ugr. Dogwood September 15th 1820

Surveyed by

Joseph S. Allen

Dep. Surveyor.

I certify that the foregoing transcript of
Field Notes of the survey of Township N. 17 North,
in Range N. 5 West of the 2^d Principal Mer-
idian, in the State of Indiana, has been com-
pared with the original on file in this office,
and found to be correct.

Surveyor General's Office

Cincinnati, Nov. 7. 1842

William Johnston
Sur. Genl.